

## Tzhone, Stephen

---

**From:** Tzhone, Stephen  
**Sent:** Monday, September 29, 2014 11:43 AM  
**To:** Meyer, John  
**Cc:** Sanchez, Carlos  
**Subject:** RE: CSM\_Implementation Workplan.pdf  
**Attachments:** 20140625 Bud Grisham to McKesson.pdf; Letter to Bud Grisham 6-23-14.pdf

Curt Grisham just called, he wanted to follow up on his work plan question from Saturday since he haven't heard anything yet. I basically relayed the same information below and he was happy about the progress.

He did have one other issue and it was about his dad's request back in June concerning McKesson's IC letter (scans attached). I told him I would pass along his concern about his dad's request to you.

-----Original Message-----

From: Tzhone, Stephen  
Sent: Monday, September 29, 2014 10:49 AM  
To: Meyer, John  
Cc: Sanchez, Carlos  
Subject: RE: CSM\_Implementation Workplan.pdf

Formal approval has not been given yet, however I do anticipate the field work to start in late Oct.

Here's the status:

CSM: ADEQ and EPA ok, will be approved with risk comments that can be resolved after sampling.

GW dye tracing test: ADEQ and EPA ok (for now), will be approved with comments.

SAP and QAPP: ADEQ and EPA ok except for QAPP comments. McKesson is submitting revised QAPP and once received, the whole CSM/GW dye tracing/SAP/QAPP package will be approved.

-----Original Message-----

From: Meyer, John  
Sent: Monday, September 29, 2014 8:28 AM  
To: Tzhone, Stephen  
Cc: Sanchez, Carlos  
Subject: FW: CSM\_Implementation Workplan.pdf

?

-----Original Message-----

From: grish@me.com [mailto:grish@me.com]  
Sent: Saturday, September 27, 2014 8:34 AM  
To: Meyer, John  
Subject: CSM\_Implementation Workplan.pdf

John, can you tell me if EPA R6 has given McKesson approval to start work according to this plan? If so, do you know when work will begin and when it will be completed?

Thank you.

Curt

